






5" AMERICAN WHITE OAK *(HERRINGBONE)*




*ACCESSORIES AVAILABLE




STAIR



RISER



STAIR NOSING



VENT

**For the detail, please see separate accessories sheet. Please note that all of our engineered accessories are pre-finished. As they are crafted from real wood, natural variations in color, grain, and texture are to be expected. When matching with flooring of the same collection, slight differences may occur, which are inherent to natural wood and not considered defects.*

Stair Length (Both Sides Close):	37"
Stair Length (Both Sides Open):	44"
Stair Width:	10-1/4"
Stair Thickness:	3/4"
Stair Nosing Length:	96"
Stair Nosing Width:	4-1/2"
Stair Nosing Thickness(Drop):	1-3/4"
Stair Riser Length:	48"
Stair Riser Width:	7-7/8"
Stair Riser Thickness:	1/2"
Vent Size:	4"x10" (Inner)

DETAILS

Brand Name:	Vidar Design Flooring
Collection:	5"AMERICAN WHITE OAK-HERRINGBONE
Grade Availability	Character / Select / Select and Better
Species:	American White Oak
Structure:	Engineered Multi-layer Hardwood
Veneer:	3mm Dry Sawn Cut Wood Layer
Finish:	BONA UV Lacquered
Gloss Level:	Ultral Matte
Bevel:	Micro
Radiant Heat:	Hydronic radiant heat compatible
Size:	5" x ¾" (130mmx18mm)
Square Feet per Box:	18.19 or 20.18 or 16.79 or 20.99 sq.ft
Texture:	Wire Brush
Length:	Fixed Length
Weight per Box:	50 or 56 or 48 Lbs
Box per Skid:	48 Boxes/Skid
Skid Size:	4 Feet x 5 Feet x 4 Feet
Hardness(Janka):	1320
Installation:	Tongue and groove profile, nail down installation with glue assist is recommended
Certification:	Floorscore, CARB II, FSC, CE
Warranty:	Limited 35 years finish warranty, lifetime structural warranty
Ideal Humidity Range:	40%-50%
Ideal Temperature Range:	68°F - 72°F


5"AMERICAN (HERRINGBONE) WHITE OAK

IMPORTANT NOTICE

VIDAR floors are made from real wood, not manufactured imitations. As wood is a natural material, each plank of VIDAR flooring features unique characteristics, including naturally occurring variations in color, grain, and texture.

Please note that showroom samples and photographs are intended to provide a general representation of the product. However, they may not fully reflect the natural diversity in appearance found in the actual flooring. It is strongly recommended that customers inspect the product thoroughly before installation to ensure it meets their expectations in terms of quality and aesthetics. Once installed, the flooring will be considered accepted by the customer.

Please be aware that natural wood may undergo color changes over time due to exposure to ambient light. These changes are a normal part of the aging process and may enrich the floor's overall appearance.



Note: Product availability and specifications are subject to change without prior notice.

For detailed installation instructions, maintenance guidelines, and warranty information, please visit:

VIDARFLOORING.COM

